



Order Pipeline Management System

 Log In with Your APANA™ Account

Or Log In with Email and Password

Email

Password

[Forgot Password](#)

The system could not log you in.
Please try again.

Forgot password:

System checks to see if a user that matches the email exists. If not, nothing happens. If so, user receives an email with a link to the password reset page. The link in the email is only operational for 30 minutes from the time it is sent. The reset page knows from the url who the user is. Once the password has been set and submitted, the system immediately logs them in.

This is a sample email they would receive if their password was forgotten and needed to be reset.

webmaster@apana.us _ □ ✕

To: Debbie Dumbass

Password Reset

Dear Debbie,

This is an automated message sent from webmaster@apana.us.

Click the link below to reset your password:
[iapana.us/login_reset?pw=Q@S2S#d\\$%fG](http://iapana.us/login_reset?pw=Q@S2S#d$%fG)

This link will only work for one hour.

Thank you,

apana.us Webmaster
 TOLL-FREE: 1.888.555.1212

Please do not reply to this email.
 If you continue to have problems, please call the toll-free phone number listed above.



Order Pipeline Management System

Reset Your Password

Password
Password...

■ ■ ■ ■ ■ Strong

Repeat Password
Repeat Password...

Passwords Must Match

Save Password

Forgot password:

System checks to see if a user that matches the email exists. If not, nothing happens. If so, user receives an email with a link to the password reset page. The link in the email is only operational for 30 minutes from the time it is sent. The reset page knows from the url who the user is. Once the password has been set and submitted, the system immediately logs them in.



Orders Installers Shipments Reference Tables

List Details



Name	Age	Nickname	Employee
Giacomo Guilizzoni	37	Peldi	<input checked="" type="radio"/>

Order Details Correspondence Notes Documents Nodes Hardware

Selection from list view sends that line to the top, and if no tab has been selected, selects the first tab. If a tab has been selected during the current session, go to the already selected tab.



Orders

Installers

Shipments

Reference Tables

Heat

User Name



Q filter search box

Company

Status

Heat

Costco

Open

Normal

Create New Order

- All
- Normal
- Caution
- Fire



Order No.	Customer/Region	Site ID	Site	Installer	Status	Status Days	Expected Days	Heat	
Q 2385	Costco->Los Angeles Area->Los Angeles District 1	541	Kamionka	Medina Plumbers	Site Review Approva	6	12	Caution	
Q 1720	Costco->Los Angeles Area->Los Angeles District 1	790	Had Kourt	West Plumbers	Choose Installer	8	7	Fire	
Q 3875	Costco->Los Angeles Area->Los Angeles District 3	552	Brovary	Boyd Plumbers	Document Install	30	7	Caution	
Q 1136	Costco->Los Angeles Area->Los Angeles District 2	501	Kertasari	Larson Plumbers	Site Review	9	8	Complete	
Q 4059	Costco->Los Angeles Area->Los Angeles District 1	849	Lazaro Cardenas	Dunn Plumbers	Approve Bid	3	7	Caution	
Q 3404	Costco->Los Angeles Area->Los Angeles District 1	894	Rungis	Simmons Plumbers	Complete	23	2	Fire	
Q 1142	Costco->Los Angeles Area->Los Angeles District 1	987	Waimangura	Hart Plumbers	Notice to Proceed Order Configuration	17 19	7 7	Fire Fire	
Q 2214	Costco->Los Angeles Area->Los Angeles District 2	765	Teixoso	Fernandez Plumbers	Notice to Proceed	14	6	Caution	
Q 1512	Costco->Los Angeles Area->Los Angeles District 1	723	Rizò	Jacobs Plumbers	Ship Hardware	15	3	Caution	
Q 4350	Costco->Los Angeles Area->Los Angeles District 3	977	Trzebinia	Hawkins Plumbers	Schedule Install	30	10	Complete	
Q 3689	Costco->Los Angeles Area->Los Angeles District 2	657	Krajan Jamprong	Dunn Plumbers	Complete	9	10	Caution	
Q 1598	Costco->Los Angeles Area->Los Angeles District 1	650	Geneng	Sims Plumbers	Schedule Install	19	10	Normal	
Q 1406	Costco->Los Angeles Area->Los Angeles District 1	912	Kaliska	Ellis Plumbers	Approve Bid	27	7	Fire	
Q 3177	Costco->Los Angeles Area->Los Angeles District 1	866	Chowki Jamali	James Plumbers	Document Install	10	6	Caution	

search box operates on order number, site ID, site, status, heat

On page load, all orders that are not closed are included in the list. User's filters narrow the list, in the front end.

Plus button adds a blank line to the list of orders just below the hilited plumber. It then waits 1000 milliseconds, then navigates to the previously selected details screen, the first one if no choice has been made prior.

Status = "Open" shows all live orders, any completed orders are omitted. However, if the user chooses 'completed', it will filter only completed orders and show them. If the user switches back to "Open" the completed orders will be omitted again. There is no "All" option on the status filter.

Do we need some kind of date on this, like date created, or target completion date, or target date of current status?

If there is a note, the note icon shows, and shows the most recent note on hover.

Extends using native scrolling. Header elements are fixed.



		Order No	Site ID	Site	Status	Status Days	Expected Days	Heat
		1011	479	Culver City	Site Review	17	7	Fire

Overview Order Configuration

Site Choose Site

Customer **Region**
Costco Los Angeles: Los Angeles South

Site ID **Site Name**
479 Culver City

Add a Note

Notes +

Date/Time	Entered By
12/4/2016 1:46 PM	Lurleen Cowgirl
Spicy jalapeno bacon ipsum dolor amet deserunt turducken laboris ex labore beef. Cow qui duis, prosciutto aliqua fugiat nulla. Rump turducken strip steak ipsum enim. <small>Delos, drumstick, short loin, pig, sausage</small>	
12/2/2016 1:46 PM	Lurleen Cowgirl
Spare ribs cupim minim tongue culpa. Meatloaf et pork ribeye, corned beef irure in burgdoggen pig cupim ullamco picanha drumstick commodo. Excepteur beef ribs <small>skunk, ullamco, eiusmod, Deserunt, et, ut</small>	

Status

Status	Completed	Expected Days	Actual Days	Heat
Receive Site Review <input checked="" type="checkbox"/>		5	3	Complete
Approve Site Review <input type="checkbox"/>		2	7	Fire
Configure Order <input type="checkbox"/>		2	7	Fire
Receive Bid		2		
Review Bid		2		
Approve Bid		7		
Notice to Proceed		3		
Procurement		5		
Ship Equipment		2		
Schedule Install		5		
Document Install		2		

Notes can only be edited the day they were created, by the person who created them. Otherwise they are readable and selectable but not editable.

Choose a Site x

Costco v

Los Angeles v

Other v

+ Add New Level + Add New Site

Site ID	Site Name	Address
<input checked="" type="checkbox"/>	1507 Sacramento	16 Rutledge Avenue, Daytona Beach, Florida 32121
<input checked="" type="checkbox"/>	1442 Lehigh Acres	02 Becker Place, Saint Paul, Minnesota 55114
<input checked="" type="checkbox"/>	1432 Chicago	54497 Magdeline Junction, Houston, Texas 77212
<input checked="" type="checkbox"/>	1417 Knoxville	8 Sunnyside Lane, Dayton, Ohio 45414
<input checked="" type="checkbox"/>	1258 New York City	57266 Shelley Crossing, Littleton, Colorado 80126
<input checked="" type="checkbox"/>	1435 New York City	7 Jackson Circle, New York City, New York 10004

The top level hierarchy will always reference a customer. Any subsequent level will reference an org. At any level, one of the choices will be "Other", which if chosen, will display a form field to the right. When this is filled in, it will create the customer or org when the site is chosen and saved. When a new site is added



Order No.	Site ID	Site	Status	Status Days	Expected Days	Heat
1011	479	Culver City	Site Review	17	7	Fire

Overview Order Configuration

Node Setup

Node Name	Purpose	Type	Show EKG	Primary
Warehouse Operations	Operations	Physical	Visible	<input checked="" type="checkbox"/>
Cooling Tower	Cooling Tower	Physical	Visible	<input type="checkbox"/>
Warehouse Main	serious	Virtual	Hidden	<input type="checkbox"/>

Setting up the node automatically populates the Hardware order list. For example, a node with a meter with "Uses Puck" checkmarked, means both a meter and a puck get added to the hardware list. It does not try to combine similar items into one hardware line with a qty > 1.

Node

Node Name: Warehouse Operations Purpose: Warehouse Type: Physical

Show EKG: Visible Primary

Meter

Brand: Badger Model: T2 Deluxe Protocol: AMR

Diameter: 1" Temperature Tolerance: 90° Uses Puck

Virtual Node Setup

Physical Node	Contribution
Warehouse Main	Add Flow
Cooling Tower	Subtract Flow

Needs a save (without submitting) and submit for purchase buttons

This shows if Node.Type == 'Physical'

This shows if Node.Type == 'Virtual'

Hardware Order

Type	Qty	Item
Meter	1	Meter - Badger - 1"
Meter	1	Meter - Badger - 1"
Puck	1	Puck
Miscellaneous	2	Antennae
Gateway 2 slot	1	version 104
Miscellaneous	2	100 ft cables

Type: Meter Quantity: 1 Item Name: 1" Badger Meter

Brand: Badger Model: T2 Deluxe Protocol: AMR

Diameter: 1" Temperature Tolerance: 90°

Description:

Type: Gateway

- Meter
- Wired antenna
- Outdoor
- Paddle antenna
- Junction box
- Meter cable
- Miscellaneous

Type: Puck Quantity: 1 Item Name: APANA™ Puck

Description:

List of nodes, physical only, to associate with the gateway.

Type: Gateway Quantity: 1 Version: 2 Slot Incoming: Wired Outgoing: Cell

Wired Meter Association

Node	Protocol	Associate
Warehouse Main	AMR	<input checked="" type="checkbox"/>
Cooling Tower	Pulse	<input checked="" type="checkbox"/>

Description:

Type: Miscellaneous Quantity: 1 Item Name: 50 ft Cable

Description:

Puck, Wired antenna, Outdoor enclosure, Paddle antenna, Junction box, Meter cable, Miscellaneous all have a layout exactly like this one.



Orders

Installers

Shipments

Reference Tables

Plus button adds a blank line to the list of plumbers just below the hilited plumber. It then waits 1000 milliseconds, then navigates to the previously selected details screen, the first one if no choice has been made prior.

	Company	Address	Email	Phone	Current Orders	Heat	
Q	Cooper Plumbers	72915 Mccormick Terrace,Kansas City,MO,64101	plumbers0@webeden.co.uk	1-(816)854-2034	1	complete	
Q	Williamson Plumbers	073 Warner Way,Fort Worth,TX,76178	plumbers1@sourceforge.net	1-(682)389-4489	20	complete	
Q	Austin Plumbers	13835 Union Hill,Albany,NY,12210	plumbers2@nymag.com	1-(518)691-6790	7	complete	
Q	Hanson Plumbers	45 Declaration Way,Honolulu,HI,96820	plumbers3@yellowbook.com	1-(808)742-7823	1	complete	
Q	Murray Plumbers	8 Mariners Cove Avenue,Trenton,NJ,08603	plumbers4@pen.io	1-(609)632-0593	18	complete	
Q	Tucker Plumbers	7 Bellgrove Crossing,Houston,TX,77020	plumbers5@vimeo.com	1-(713)702-2837	6	normal	
Q	Dean Plumbers	57196 Fisk Park,Jamaica,NY,11499	plumbers6@myspace.com	1-(212)858-8798	26		
Q	Lynch Plumbers	9 Transport Parkway,Washington,DC,20414	plumbers7@newsvine.com	1-(202)476-5233	16		
Q	Ruiz Plumbers	405 Scofield Parkway,San Francisco,CA,94159	plumbers8@senate.gov	1-(415)221-1700	20		
Q	Cox Plumbers	99 Nova Street,Des Moines,IA,50305	plumbers9@csmonitor.com	1-(515)491-9533	27	normal	
Q	Kelly Plumbers	297 Algoma Point,San Francisco,CA,94154	plumbersa@360.cn	1-(415)302-8466	4	complete	
Q	Gonzalez Plumbers	6939 Magdeline Drive,Reno,NV,89510	plumbersb@netlog.com	1-(775)367-1347	11	caution	
Q	James Plumbers	796 Hoepker Parkway,Maple Plain,MN,55579	plumbersc@phpbb.com	1-(952)640-8573	14	complete	
Q	Burke Plumbers	966 Pine View Circle,Young America,MN,55564	plumbersd@parallels.com	1-(952)492-9571	26	caution	
Q	Moore Plumbers	1 Arrowood Junction,Shreveport,LA,71137	plumberse@twitpic.com	1-(318)742-9716	8	complete	
Q	Weaver Plumbers	23 Kenwood Drive,Huntsville,TX,77343	plumbersf@europa.eu	1-(936)267-7749	28	fire	
Q	Jones Plumbers	89316 Pond Circle,Grand Rapids,MI,49518	plumbersg@census.gov	1-(616)219-9931	29	normal	
Q	Diaz Plumbers	9 Sommers Place,Oklahoma City,OK,73173	plumbersh@nyu.edu	1-(405)201-6123	27	caution	
Q	Gilbert Plumbers	1 Schiller Parkway,Fresno,CA,93726	plumbersi@edublogs.org	1-(559)719-8987	21	fire	
Q	Sims Plumbers	05534 5th Plaza,North Little Rock,AR,72199	plumbersj@tripod.com	1-(501)245-3555	18	normal	

Installers cannot be deleted if they are connected to any order ever. They must be disconnected from all orders to be able ot be deleted.

Separate out the address fields so they can be sorted that way. Sometimes they need to find all the plumbers in Louisiana, or maybe in Shreveport. The Search for LA might find Louisiana AND Los Angeles.

The heat designation is derived by looking at the plumbers non-closed orders with a status for which (s)he is responsible. The order with the status in the highest heat shows the heat for that plumber.

Extends using native scrolling. Header elements are fixed.



Orders

Installers

Shipments

Reference Tables



Name	Address	Email	Company	Current Orders	Heat
Austin Plumbers	86 Di Loreto Parkway, IL, 60609	clee2@wired.com	Ntags	6	caution

Basic Info | Orders | Shipments | Status History

Company Info

Company Name

Company Phone

Shipping Address

Street

City State

Zip

Contacts

First	Last	Email	Phone	Primary	
Kathy	Andrews	kandrews0@wordpress.com	62-(946)321-7694	<input type="checkbox"/>	
David	Patterson	dpatterson1@loc.gov	380-(766)342-0855	<input checked="" type="checkbox"/>	
Anna	Evans	aevans2@europa.eu	220-(994)165-8696	<input type="checkbox"/>	
Evelyn	Phillips	ephillips3@smh.com.au	380-(990)280-6609	<input type="checkbox"/>	
Tina	Murray	tmurray4@ft.com	255-(791)652-0182	<input type="checkbox"/>	
Catherine	Hall	chall5@omniture.com	234-(204)564-0187	<input type="checkbox"/>	



Orders

Installers

Shipments

Reference Tables



Name	Address	Email	Company	Current Orders	Heat
Carl Lee	86 Di Loreto Parkway,IL,60609	clee2@wired.com	Ntags	6	caution

Basic Info Orders Shipments Status History

Order Number	Site ID	Site	Status	Status Due Date	Status Days	Expected Days	Heat	
2328	741	Daying	Site Review	2/1/2017	9	6	Caution	
4679	819	Longhu	Site Review	4/7/2017	8	8	Fire	
2475	822	Luknovo	Document Install	3/5/2017	2	12	Fire	
3785	691	Brckovljani	Submit Bid	3/18/2017	21	11	Caution	
3514	956	Bodø	Document Install	3/15/2017	12	3	Fire	
3121	740	Jilma	Submit Bid	2/4/2017	17	7	Caution	

View Order

Goes to Orders Overview page



Orders **Installers** Shipments Reference Tables



Name	Address	Email	Company	Current Orders	Heat
Carl Lee	86 Di Loreto Parkway,IL,60609	clee2@wired.com	Ntags	6	caution

Basic Info Orders **Shipments** Status History

Shipment Number	Date Shipped	Shipped to	Shipping Address

View Shipment





Orders

Installers

Shipments


Reference Tables

Name	Address	Email	Company	Current Orders	Heat
Carl Lee	86 Di Loreto Parkway,IL,60609	clee2@wired.com	Ntags	6	caution

Comments Status History

Shipment Number	Shipped to	Shipping Address	View Shipment

Make this a version 2 thing





Orders

Installers

Shipments

Reference Tables



Q filter search box

Create New Shipment

Shipments

Orders to Ship

	Ship Status	Shipment No.	Order No.	Site	Shipping Address	Shipped By	Shipper	Tracking No.	Ship Date
Q	Shipped	1157	1063	Columbia	7 Melody Place, Fresno, CA 93715	Dennis Burton	DHL	988944949-8	8/21/2016
Q	Shipped	1156	1062	El Paso	5411 Surrey Circle, Dallas, TX 75226	George Walker	UPS	624892224-1	10/16/2016
Q	Saved	1155	1061	Madison	280 Calypso Drive, Denver, CO 80270	Jane Arnold	FedEx	372362595-9	9/20/2016
Q	Shipped	1154	1060	Glendale	9 Truax Point, Staten Island, NY 10305	Annie Hansen	UPS	849578157-3	11/25/2016
Q	Shipped	1153	1059	Baltimore	4 Heath Court, New York City, NY 10099	Antonio Hill	FedEx	140049077-4	1/14/2017
Q	Shipped	1152	1058	Rochester	13 Fairfield Circle, Fort Lauderdale, FL 33305	Anna Henderson	DHL	927504002-8	11/24/2016
Q	Saved	1151	1057	Washington	17217 Quincy Drive, Cincinnati, OH 45271	Janice Gonzalez	FedEx	074045465-X	5/3/2016
Q	Shipped	1150	1056	Orlando	8622 Union Crossing, Saint Paul, MN 55115	Arthur Anderson	FedEx	169821965-2	11/14/2016
Q	Shipped	1149	1055	Washington	3 Cascade Lane, Tampa, FL 33694	David West	UPS	332643486-3	9/27/2016
Q	Shipped	1148	1054	Las Vegas	255 Prairie Rose Pass, Topeka, KS 66667	William Freeman	UPS	526558924-4	6/19/2016
Q	Shipped	1147	1053	Winston Salem	9 Valley Edge Road, Wilmington, DE 19886	Paula Martinez	DHL	555747193-6	1/26/2017
Q	Shipped	1146	1052	Roanoke	74 Veith Crossing, Tuscaloosa, AL 35405	Ralph Wright	USPS	617003986-8	11/19/2016
Q	Saved	1145	1051	Pasadena	46688 Crowley Park, Charlotte, NC 28205	Lillian Vasquez	UPS	366236426-3	12/3/2016
Q	Shipped	1144	1050	Fort Lauderdale	062 Mallory Way, South Bend, IN 46620	Elizabeth Hunt	FedEx	313915089-X	1/31/2017
Q	Shipped	1143	1049	Sioux Falls	9034 Duke Pass, New York City, NY 10014	Diana Foster	FedEx	574090684-9	10/19/2016
Q	Shipped	1142	1048	Erie	78975 Di Loreto Parkway, Lincoln, NE 68524	Amy Carter	UPS	110599897-5	3/22/2017
Q	Shipped	1141	1047	Norfolk	8 Everett Way, Vienna, VA 22184	Andrew Turner	USPS	773200050-1	2/5/2017

Extends using native scrolling. Header elements are fixed.



Orders

Installers

Shipments

Reference Tables

User Name

Shipments Orders to Ship Procurement

Items Required by All Configured Unshipped Orders

Type	Qty	Item
Meter	15	Meter - Badger - 1"
Meter	23	Meter - Badger - 1.5"
Puck	77	Puck
Miscellaneous	27	Antennae
Gateway	16	Gateway 2 Slot Cell Combo
Gateway	12	Gateway 4 Slot 1P Ethernet Wired
Miscellaneous	48	100 ft. cables

Type: Quantity: Item Name:

Brand: Model: Protocol:

Diameter: Temperature Tolerance:

Order No	Site	Ship To	Status	Projected Ship Date	View Order
2385	Kamionka	Medina Plumbers	Site Review Approved	4/15/2017	
1720	Had Kour	West Plumbers	Choose Installer	5/3/2017	
3875	Brovary	Boyd Plumbers	Document Install	6/11/2017	
1136	Kertasari	Larson Plumbers	Site Review	4/6/2017	

Type: Quantity: Item Name:

Type: Quantity: Version: Incoming: Outgoing:

- Gateway
- Puck
- Meter
- Wired antenna
- Outdoor
- Paddle antenna
- Junction box
- Meter cable
- Miscellaneous

Wired Meter Association

Slot	Protocol
1	AMR
2	Pulse

Type: Quantity: Item Name:



APANA™



Shipment No	Order	Site	Ship To	Shipping Address	Shipped By	Shipper	Tracking No	Ship Date
1018	1611	Teixoso	Ruiz Plumbers	405 Scofield Parkway,San Francisco,CA,94159	Lurleen Cowgirl	UPS	1Z9999999999999999	3/28/2017

Ship To
 Installer
 Site
 Other

Create New Shipment

Shipment Details

Print Bill of Lading

Save Without Shipping

Submit for Shipment

Order

Order No.

Site Ship Before

Ship To

Ship To Ship From

Business Name

Street

City

State Zip

Shipper Tracking Number

Items to Ship

Item	Qty Requested	Qty in Shipment
thing 1	3	2

Type Quantity Item Name

Brand Model Protocol

Diameter Temperature Tolerance

Type

Gateway

Puck

Meter

Wired antenna

Outdoor

Paddle antenna

Junction box

Meter cable

Miscellaneous

View Tracking on UPS web site

Click a Line to Choose an Order for Shipment

Ship To	Order	Heat	Ship Before Date
Costco::Teixoso - 23 Kenwood Drive,Huntsville,TX,77343	1703	Fire	3/26/2017
Ruiz Plumbers - 405 Scofield Parkway,San Francisco,CA,94159	1611	Fire	3/28/2017
Williamson Plumbers - 073 Warner Way,Fort Worth,TX,76178	1524	Caution	4/2/2017
Hanson Plumbers - 45 Declaration Way,Honolulu,HI,96820	1683	Normal	4/10/2017
Costco::Kamionka - 80152 Bartelt Lane,Juneau,AK,99812	1755	Normal	4/10/2017

This is a list of orders in Shipping status. The ship-before date is the expected status completion date for the associated order.

When an order is chosen, the items to ship are automatically added to the shipment.

Type Quantity Item Name

Type Quantity Version Incoming Outgoing

Type Quantity Item Name

Puck, Wired antenna, Outdoor enclosure, Paddle antenna, Junction box, Meter cable, Miscellaneous all have a layout exactly like this one.



Reference Table

Order Statuses

Message Templates

	Status	Normal Days	Caution Days	Fire Days	
<input type="checkbox"/>	Receive Site Review	5	10	20	
<input checked="" type="checkbox"/>	Approve Site Review	5	10	15	
<input type="checkbox"/>	Configure Order	2	4	8	
<input type="checkbox"/>	Receive Bid	7	14	21	
<input type="checkbox"/>	Review Bid	7	14	21	
<input type="checkbox"/>	Approve Bid	7	14	21	
<input type="checkbox"/>	Notice to Proceed	3	6	9	
<input type="checkbox"/>	Procurement	5	10	15	
<input type="checkbox"/>	Ship Equipment	2	4	8	
<input type="checkbox"/>	Schedule Install	5	10	15	
<input type="checkbox"/>	Document Install	2	4	8	
<input type="checkbox"/>	Verify Install	2	4	8	
<input type="checkbox"/>	Complete	2	4	8	

drag to reorder

Add New Status

This status cannot be marked complete until prerequisites are marked complete.

Status Name

Approve Site Review

Downstream Dependencies

Order Configuration

Notice to Proceed

Days

Normal Caution Fire

5 10 20

Email Reminder Template Responsible Party

Normal Plumber

Dear [responsible party name](#),

Cupcake ipsum dolor sit amet jelly beans I love. Caramels fruitcake candy gummi bears chocolate biscuit sweet roll cupcake. Halvah topping cookie ice cream. Pie candy canes halvah. Topping powder soufflé. Icing oat cake sugar plum. I love tootsie roll liquorice apple pie donut jelly beans brownie.

Powder sweet roll macaroon marzipan I love I love. Caramels soufflé pastry carrot cake candy I love cotton candy sweet I love. Cookie tart fruitcake gummi bears pudding tiramisu tart pie liquorice. Pudding sugar plum liquorice muffin. Apple pie brownie caramels toffee bonbon danish tiramisu tiramisu. Tiramisu gummies candy candy canes. Donut donut marshmallow tootsie roll lollipop.

Kristie Lanum
Director of Operations

Email Reminder Template Responsible Party

Expected Plumber

Caution Site Admin

Fire Apana - Production

Apana - Shippers

This is the list that shows for all orders. The days entered here apply to all orders. Changes made here, such as deleting a status, or creating a new status, or a change to the caution days, take effect for all orders immediately. If a new status is added here and open orders have completed statuses below the new status in the list, the new status will be marked complete. If the status name is changed, it will still be treated as the same status with completions on orders remaining the same.

On an order, these initiate marked as "Inactive", except for the top one. The top one initiates as "Ready". Let's call this field "mark" as saying a status record has a status is a little confusing. Once completed, the status record is marked "Complete".

When a status is marked complete, the statuses entered as downstream dependencies are marked "Ready". There can be more than one "Ready" status on an order at a time. On the order's status list, an empty checkbox only appears when the status is marked as "Ready" - before that, the order's status cannot be set on that record.

If an order status is marked complete, but there is another status record which also lists the status record as a downstream trigger which is not complete, the status shall not be marked ready. Once the other status record is marked complete, it will make the same check to discover that all referenced upstream statuses are complete, and then mark it's downstream trigger status "Ready".



Orders

Installers

Shipments

Reference Tables

Reference Tables
Message Templates
Order Statuses
Site Ref Tables
Event Ref Tables
Node Ref Tables
Hardware Ref Tables
Time Zones
Locales

Message Template	
<input type="checkbox"/>	MPLAB
<input type="checkbox"/>	Xplan
<input type="checkbox"/>	ment
<input type="checkbox"/>	VLR
<input type="checkbox"/>	Ocean Freight

Subject: MPLAB

B I U S style

Dear [To::Name]

The Lady of the Lake, bearing the shimmering samite, held aloft Excalibur from the mist, and by divine providence that I, Arthur, was the chosen one to slay the dragon, I am your king.

Yes, I am your king. What is the switch?

No longer needed for now

